

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

ATTRATHOR™
TARGETED INSECTICIDE

ACTIVE CONSTITUENTS:

26 g/L FIPRONIL

GROUP 2B INSECTICIDE

For the control of cockroaches and ants in and around commercial, industrial and residential premises as per directions for use.

ENSYSTEX AUSTRALASIA PTY LTD


ABN 53 102 221 965
Unit 3 The Junction Estate
4-6 Junction Street Auburn NSW 2144
www.ensystex.com.au

CUSTOMER SERVICE: 13 35 36
EMERGENCY RESPONSE (ALL HOURS): 13 35 36
APVMA Approval No: 68053/62619

Contents:
250 mL

™ Trademark of Ensysyex, Inc. used by licence to Ensysyex Australasia Pty Ltd.

ENSYSTEX™



DIRECTIONS FOR USE:

SITUATION	PEST	RATE	CRITICAL COMMENTS
Internal & external areas & surrounds of Domestic, Commercial, Public and Industrial buildings, facilities & structures (including but not limited to food processing establishments, shops, factories, farm buildings, ships, trains, aeroplanes, offices, schools, storerooms, hospitals, barracks, private houses, and external areas associated with such establishments.)	Cockroaches	25-50 mL per 5 L water	Use the higher application rate in situations where pest pressure is high. Use the lower application rate for low to moderate infestations and re-treatments. Inspect premises thoroughly and locate all cockroach harboursages. Apply directly into cockroach harboursages such as cracks and crevices away from where it is likely to be removed by cleaning operations. Numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control. Apply behind sinks, stoves, and pipes paying particular attention to all cracks and crevices which might contain cockroaches. Repeat treatments when pests begin to reappear.
	Ants	50 mL per 5 L water	Apply prepared spray to indoor and outdoor surfaces where ants are tracking. Internal harborage sites include (but are not restricted to) areas such as walls, behind and under sinks, under furniture and indoor plants. External harborage sites include (but are not restricted to) areas such as building exteriors, eaves, walls, fences, garages, sheds, gazebos, ornamental plants, bushes, shrubs, hedges, shady or damp areas around buildings. Reapply as necessary. For indoor use, pay particular attention to dark protected areas such as cracks and crevices.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**GENERAL INSTRUCTIONS:**

ATTRATHOR Targeted Insecticide is a targeted indoor crack and crevice treatment for cockroaches and ants. It can be used in warehouses, restaurants, food manufacturing, processing and storage plants, supermarkets, hotels, hospitals, domestic and other similar situations.

INSECTICIDE RESISTANCE WARNING**GROUP 2B INSECTICIDE**

For insecticide resistance management ATTRATHOR Targeted Insecticide is a Group 2B insecticide. Some naturally occurring insect biotypes resistant to ATTRATHOR Targeted Insecticide and other Group 2B Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if ATTRATHOR Targeted Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of ATTRATHOR Targeted Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Ensyslex Australasia Pty Ltd accepts no liability for any losses that may result from the failure of ATTRATHOR Targeted Insecticide to control resistant insects. ATTRATHOR Targeted Insecticide may be subject to specific resistance management strategies. For further information contact Ensyslex Australasia Pty Ltd.

MIXING

Invert the ATTRATHOR container several times to ensure thorough mixing of concentrate. Half fill the spray tank with water and then add the required quantity of ATTRATHOR. Stir and then top up the spray tank to the required volume. The use of this product in a tank mix with other insecticides is not recommended as the behaviour and efficacy of the product may be affected. Ensure equipment is clean.

PRECAUTIONS

Do not allow public re-entry into treated areas until the spray has dried. Do not apply using equipment carried on the back of the user.

Re-entry period

Do not enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing). Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Highly toxic to fish and aquatic organisms. Do NOT apply to areas where surface water is present. Rinse waters and runoff from treated areas MUST be prevented from entering drains or waterways. Do NOT apply if heavy rains are expected to occur within 48 hours of application. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to bees.

PROTECTION OF PETS AND LIVESTOCK

Before spraying remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove (as applicable) fish ponds, aquariums, etc. before spraying.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or

Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

When opening the container and preparing the spray for use wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves. When using the prepared spray wear cotton overalls, over normal clothing, buttoned to the neck and wrist and chemical resistant elbow length chemical resistant gloves and disposable (mist) face mask covering mouth and nose. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MSDS

Additional information is listed in the Material Safety Data Sheet which is available from Ensyslex on request. Call Customer Service on 13 35 36 or visit our web site at www.ensysex.com.au.

NOTICE

Ensyslex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensyslex, or under abnormal conditions.

Batch No:

Date of
Manufacture:

Manufactured by ICB Pharma, and marketed under licence.

ENSYSTEX™**L-AU-CHEAT1013 1.01 10.16**